

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	688	riser and ram and (blade cut\$4)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/02/22 14:13
2	IS&R	L2	168	(166/361,351).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/02/22 13:36
3	IS&R	L3	52	(166/361).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/02/22 13:53
4	IS&R	L4	578	(166/363,364,367).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/02/22 13:36
5	BRS	L5	7	("4215749" "4886115" "5269340" "5501424" "5803431" "5894771" "5938175").PN.	US- PGPUB; USPAT; USOCR	2005/02/22 13:44
6	IS&R	L6	10	(("4,095,805") or ("6,244,336") or ("1,839,394") or ("2,812,197")).PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/02/22 13:55

	Type	L #	Hits	Search Text	DBs	Time Stamp
7	BRS	L7	16	("3561526" "3817326" "4081027" "4132266" "4132267" "4215749" "4240503" "4313496" "4347898" "4508313" "4580626" "4646825" "5360061" "5501424" "5515916" "5803431") .PN.	US- PGPUB; USPAT; USOCR	2005/02/22 13:58
8	IS&R	L8	913	(166/55,55.1) .CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/02/22 14:01
9	IS&R	L9	328	(251/1.3) .CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/02/22 14:01
10	BRS	L10	73	riser and ram same shear and (blade cut\$4) and vertical\$4	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/02/22 14:14
11	BRS	L11	71	ram near5 shear same vertical\$4 and (blade cut\$4) and well\$4	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/02/22 14:15
12	BRS	L12	24	("2919111") .URPN.	USPAT	2005/02/22 14:22

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L13	7	("2761384" "2919111" "2969838" "3561526").PN.	US- PGPUB; USPAT; USOCR	2005/02/22 14:22
14	BRS	L14	6	("3684008").URPN.	USPAT	2005/02/22 14:26
15	IS&R	L15	678	(166/297).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/02/22 14:26
16	BRS	L16	2285	2 4 8 9 15	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/02/22 14:34
17	BRS	L18	243	16 and vertic\$5 same (ram piston)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/02/22 14:34
18	BRS	L19	102	16 and vertic\$5 near5 (ram piston)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/02/22 14:35